

ALLARD AFO ADULT ITEM NUMBERS

FLOW: New Formula, 7mm Heel Height, Short Wings

	Ypsilon®	ToeOFF® FLOW 2½	
	FLOW ½	w/D-ring	w/o D-ring
XS-Left	N/A	28962 1010	28960 1010
XS-Right	N/A	28962 2010	28960 2010
S-Left	38880 1011	28962 1011	28960 1011
S-Right	38880 2011	28962 2011	28960 2011
M-Left	38880 1012	28962 1012	28960 1012
M-Right	38880 2012	28962 2012	28960 2012
L-Left	38880 1013	28962 1013	28960 1013
L-Right	38880 2013	28962 2013	28960 2013
XL-Left	38880 1014	28962 1014	28960 1014
XL-Right	38880 2014	28962 2014	28960 2014

Product Name

2 indicates it has shorter wings than original models of ToeOFF® or BlueROCKER®, pre-applied MikroFIX, and includes an interface starter kit.

½ indicates it has approximately ½ the heel height of original models of ToeOFF® or BlueROCKER®.

2½ Original Formula, 7mm Heel Height, Short Wings

	ToeOFF® 2½		BlueROCKER® 2½		ToeOFF® 2½ Addition		
	w/D-ring	w/o D-ring	w/D-ring	w/o D-ring	Black w/D-Ring	Camo w/D-ring	Birch w/D-Ring
XS-Left	28982 1010	28980 1010	28972 1010	28970 1010	28954 1010	28955 1010	28956 1010
XS-Right	28982 2010	28980 2010	28972 2010	28970 2010	28954 2010	28955 2010	28956 2010
S-Left	28982 1011	28980 1011	28972 1011	28970 1011	28954 1011	28955 1011	28956 1011
S-Right	28982 2011	28980 2011	28972 2011	28970 2011	28954 2011	28955 2011	28956 2011
M-Left	28982 1012	28980 1012	28972 1012	28970 1012	28954 1012	28955 1012	28956 1012
M-Right	28982 2012	28980 2012	28972 2012	28970 2012	28954 2012	28955 2012	28956 2012
L-Left	28982 1013	28980 1013	28972 1013	28970 1013	28954 1013	28955 1013	28956 1013
L-Right	28982 2013	28980 2013	28972 2013	28970 2013	28954 2013	28955 2013	28956 2013
XL-Left	28982 1014	28980 1014	28972 1014	28970 1014	28954 1014	28955 1014	28956 1014
XL-Right	28982 2014	28980 2014	28972 2014	28970 2014	28954 2014	28955 2014	28956 2014

2.0 Original Formula, 12-16mm Heel Height, Short Wings

	ToeOFF® 2.0		BlueROCKER® 2.0	
	w/D-ring	w/o D-ring	w/D-ring	w/o D-ring
XS-Left	28922 1010	28920 1010	28942 1010	28940 1010
XS-Right	28922 2010	28920 2010	28942 2010	28940 2010
S-Left	28922 1011	28920 1011	28942 1011	28940 1011
S-Right	28922 2011	28920 2011	28942 2011	28940 2011
M-Left	28922 1012	28920 1012	28942 1012	28940 1012
M-Right	28922 2012	28920 2012	28942 2012	28940 2012
L-Left	28922 1013	28920 1013	28942 1013	28940 1013
L-Right	28922 2013	28920 2013	28942 2013	28940 2013
XL-Left	28922 1014	28920 1014	28942 1014	28940 1014
XL-Right	28922 2014	28920 2014	28942 2014	28940 2014

Original Formula, 12-16mm Heel Height, Long Wings

	ToeOFF®	ToeOFF®	BlueROCKER®	BlueROCKER®
	Original Model	SHORT	Original Model	SHORT
	w/o D-ring	w/o D-ring	w/o D-ring	w/o D-ring
XS-Left	28375 1010	N/A	28405 1010	28995 1010
XS-Right	28375 2010	N/A	28405 2010	28995 2010
S-Left	28375 1011	28990 1011	28405 1011	28995 1011
S-Right	28375 2011	28990 2011	28405 2011	28995 2011
M-Left	28375 1012	28990 1012	28405 1012	28995 1012
M-Right	28375 2012	28990 2012	28405 2012	28995 2012
L-Left	28375 1013	28990 1013	28405 1013	28995 1013
L-Right	28375 2013	28990 2013	28405 2013	28995 2013
XL-Left	28375 1014	N/A	28405 1014	28995 1014
XL-Right	28375 2014	N/A	28405 2014	28995 2014

ALLARD AFO ADULT ACCESSORIES

INTERFACES

		ToeOFF® FLOW 2½ ToeOFF® 2.0 ToeOFF® 2½ ToeOFF®SHORT BlueROCKER® 2.0 BlueROCKER® 2½ BlueROCKER®SHORT	ToeOFF® BlueROCKER® Original Models
SoftKIT Black	XS	28750 0010	28390 0010
	S	28750 0011	28390 0011
	M	28750 0012	28390 0012
	L	28750 0013	28390 0013
	XL	28750 0014	28390 0013
SoftKIT Beige	XS	28749 0010	N/A
	S	28749 0011	N/A
	M	28749 0012	N/A
	L	28749 0013	N/A
	XL	28749 0014	N/A
SoftKIT SHORT Models	S	28391 0011	N/A
	M	28391 0012	N/A
	L	28391 0013	N/A

		ToeOFF® FLOW 2½ ToeOFF® 2.0 ToeOFF® 2½ ToeOFF®SHORT BlueROCKER® 2.0 BlueROCKER® 2½ BlueROCKER®SHORT	ToeOFF® BlueROCKER® Original Models
ComfortKIT Black	XS	28751 0010	28398 0010
	S	28751 0011	28398 0011
	M	28751 0012	28398 0012
	L	28751 0013	28398 0013
	XL	28751 0014	28398 0013
CoverKIT Black	XS	28765 0010	N/A
	S	28765 0011	N/A
	M	28765 0012	N/A
	L	28765 0013	N/A
	XL	28765 0014	N/A
ComfortPAD (Ypsilon®FLOW)	One Size	28886 0000	N/A

FOS - FOOT ORTHOTIC SHELL

		AFO Footplate Length	FOS Length
XS	68000 0010	8 ¼"	8 ¾"
S	68000 0011	9"	9 ½"
M	68000 0012	9 ⅝"	10"
L	68000 0013	10 ⅝"	10 ¾"
XL	68000 0014	11 ¼"	11 ½"

All Allard AFOs include an upper and lower wrap-around or D-Ring strap depending upon the item number of the AFO ordered (except Ypsilon® FLOW ½ which includes upper strap only).

STRAPS

		ToeOFF® FLOW 2½ ToeOFF® 2.0 ToeOFF® 2½ & ToeOFF® 2½ Addition BlueROCKER® 2.0 BlueROCKER® 2½			ToeOFF® BlueROCKER® Original Models	ToeOFF® BlueROCKER® SHORT Models
	D-ring (Black)	D-ring (Beige)	w/o D-ring (Black)	w/o D-ring (Black)	w/o D-ring (Black)	
XS	28761 0010	28763 0010	28760 0010	28377 0011	N/A	
S	28761 0011	28763 0011	28760 0011	28377 0011	28768 0011	
M	28761 0012	28763 0012	28760 0012	28377 0013	28768 0013	
L	28761 0013	28763 0013	28760 0013	28377 0013	28768 0013	
XL	28761 0014	28763 0014	28760 0014	28377 0013	N/A	

ALLARD AFO ADULT ACCESSORIES

MIKROFIX™

All ToeOFF® & BlueROCKER® 2.0 & 2½ AFOs have MikroFIX™ pre-attached. MikroFIX™ is included with original models of ToeOFF® & BlueROCKER® but must be applied by the technician or practitioner.

		ToeOFF® FLOW 2½ ToeOFF® 2½ ToeOFF® 2.0 BlueROCKER® 2.0 BlueROCKER® 2½	ToeOFF® & BlueROCKER® (Original Models)
MikroFIX KIT™	XS/S	N/A	28396 0011
	M/L/XL	N/A	28396 0013
MikroFIX™ Drops	XS/S	28752 0011	N/A
	M/L/XL	28752 0013	N/A
MikroFIX™ Wings	One Size	28754 0000	N/A

All ToeOFF® & BlueROCKER® 2.0 & 2½ AFOs include an Interface Starter Kit (one SoftKIT™ pad). SoftKIT™s & ComfortKIT™s include 2 pads. Interfaces must be ordered separately for original models of ToeOFF® & BlueROCKER®. Ypsilon® FLOW½ includes the ComfortPAD™ Interface.

VERTICAL TIBIA PADS

SoftKIT™ and SoftSHELL™ Interface kits include 2 vertical tibia pads to provide a "channel" for tibia relief.

	ToeOFF® FLOW 2½ ToeOFF® 2.0 BlueROCKER® 2.0	ToeOFF® BlueROCKER® Original Models
XS/S	28753 0011	28395 0011
M/L/XL	28753 0013	28395 0013

POSTING WEDGE KIT

One Size	28766 0000
----------	------------

T-STRAP (one size)

Left	28777 1000
Right	28777 2000

ALLARD AFO PEDIATRIC ITEM NUMBERS

PEDIATRIC AFOS

	KiddieFLOW™	KiddieGAIT®	KiddieROCKER®
BabySmall-Left	N/A	28372 1008	N/A
BabySmall-Right	N/A	28372 2008	N/A
BabyMedium-Left	N/A	28372 1009	N/A
BabyMedium-Right	N/A	28372 2009	N/A
BabyLarge-Left	N/A	28372 1010	N/A
BabyLarge-Right	N/A	28372 2010	N/A
Small-Left	28892 1011	28901 1011	28903 1011
Small-Right	28892 2011	28901 2011	28903 2011
Medium-Left	28892 1012	28901 1012	28903 1012
Medium-Right	28892 2012	28901 2012	28903 2012
Large-Left	28892 1013	28901 1013	28903 1013
Large-Right	28892 2013	28901 2013	28903 2013
XLarge-Left	28892 1014	28901 1014	28903 1014
XLarge-Right	28892 2014	28901 2014	28903 2014

STRAPS

Baby Small	28373 0008
Baby Medium	28373 0009
Baby Large	28373 0010
Youth Small	28369 0011
Youth Medium	28369 0012
Youth Large/Xlarge	28369 0013

MIKROFIX™

Small	28379 0011
Medium	28379 0012
Large/Xlarge	28379 0013

INTERFACES

SoftKIT™	Baby Small	28397 0008
	Baby Medium	28397 0009
	Baby Large	28397 0010
	Youth Small	28378 0011
	Youth Medium	28378 0012
	Youth Large	28378 0013
	Youth XLarge	28378 0014
SoftSHELL™ - Pink	Baby Small	28389 0008
	Baby Medium	28389 0009
	Baby Large	28389 0010
	Youth Small	28358 0011
	Youth Medium	28358 0012
	Youth Large	28358 0013
	Youth XLarge	28358 0014
SoftSHELL™ - Blue	Baby Small	28388 0008
	Baby Medium	28388 0009
	Baby Large	28388 0010
SoftSHELL™ - Gray	Youth Small	28359 0011
	Youth Medium	28359 0012
	Youth Large	28359 0013
	Youth XLarge	28359 0014
ComfortKIT™	Youth Small	28418 0011
	Youth Medium	28418 0012
	Youth Large	28418 0013
	Youth XLarge	28418 0014

PRODUCT SELECTION GUIDE


The scales on this page and chart on following page are provided as general guidelines only. Each individual, based on their unique deficits, gait patterns, proprioceptive response, and lifestyle needs, will respond differently to any orthotic device. This will influence the function and compliance results.

Further information about intended use, indications and contraindications, and suggested modifications to assure optimum alignment and patient comfort can be found in the Professional Instructions packed together with each Allard AFO or can be downloaded from allardusa.com. You can also view our 8-step videos on our Allard USA YouTube channel.



ALLARD AFO PRODUCT RIGIDITY SCALE

Each Allard AFO offers different rigidity to provide the amount of support needed without over-bracing. The chart below shows the variance in the amount of support each AFO offers. For example, Ypsilon® FLOW½ would be considered for patients requiring minimum support, while BlueROCKER® for those that require most support.



ALLARD AFO FUNCTION SCALE

As an example, Ypsilon® FLOW½ allows for the most ROM while BlueROCKER® offers the least. On the other hand, if you look at stability, BlueROCKER® offers the most whereas Ypsilon® FLOW½ provides the least.

	Ypsilon® FLOW½	ToeOFF® FLOW2½ KiddieFLOW™	ToeOFF® 2½ ToeOFF® 2.0 ToeOFF® ToeOFF® Short KiddieGAIT™	BlueROCKER® 2½ BlueROCKER® 2.0 BlueROCKER® BlueROCKER® Short KiddieROCKER®
Allows Range Of Motion	● ● ● ● ● ○	● ● ● ● ○ ○	● ● ○ ○ ○ ○	● ○ ○ ○ ○ ○
M-L Stability	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ● ● ● ○	● ● ● ● ● ●
A-P Stability	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ● ● ● ○	● ● ● ● ● ●
Dorsiflexion Assist	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ● ● ● ○	● ● ● ● ● ●
Spasticity Control	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ● ● ● ○	● ● ● ● ● ●
Proximal Control	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ● ● ● ○	● ● ● ● ● ●